ပို့ဆောင်ရေးနှင့် ဆက်သွယ်ရေးဝန်ကြီးဌာန

သတင်းအချက်အလက်နည်းပညာနှင့်ဆိုက်ဘာလုံခြုံရေးဦးစီးဌာန၊ဂြိုဟ်တုဆက်သွယ်ရေးဌာန ကွန်ပျူတာနှင့်ဆက်စပ်ပစ္စည်းများနှင့်ရုံးသုံးစက်ပစ္စည်းများ ဝယ်ယူတပ်ဆင်ခြင်း လုပ်ငန်းစာရင်း တင်ဒါအမှတ်စဉ် (ITCSD - ၈ /၂၀၁၈)

Technical Specification

စဉ်		ပစ္စည်းအမျိုးအမည်	အရေအတွက်
(e)	Generator (250KVA) with ATS and Power Cable		1 Sets
	-Type: 3Phase Heavy D	uty Diesel (ATS) Engine Generator	
	(Sound Proof, Prime Power) -Continuous Rated Power: 250KVA, 200KW at 0.8 PF		
	-Rated Output Voltage	: 230V/400 volts, 50Hz/60Hz	
	-Rated Output Current	: 347.8 A	
	-Rated Revolution per minute (Speed) : 1500rpm/ 1800 rpm		
	-Governor type	: Electronic Governor	
	-Number of Cylinder	: 6	
	-Stroke	: 4 stroke	
	-Cooling System (Metho		
	-Starter Battery	: 24 Volt	
	-Alternator Type	: Self excited Brushless Type with AVR	
		Control (Metcalfe/ optional- Stamford/	
		Crompton Greaves)	
	Insulation Class	: H	
	-Automatic Engine Shutdown		
	protection for	: Low oil pressure	
		: Low coolant level	
		: High Coolant Temperature	
		: Under Speed, Over Speed	
		: Under Voltage/ Frequency	
		: Over Voltage /Frequency	

စဉ်	ပစ္စည်းအမျိုးအမည်		အရေအတွက်
	-Electric Starting &		
	Charging System	: 24 V, DC battery (Maintenance	
		Free, Alternator & Commercial	
		power battery charging system	
		(Self Charging)	
	-Heavy duty fabricate ste		
	- Installation Material (A	ir Duct, Bellow Pipe, Exhaust Pipe)	
	- Unit mounted tropical radiator with engine drive blower type fan.		
	- High Capacity fuel, air		
	- Testing the set in Auto/		
	- Testing for all interlock		
	- Generator Neutral Shou earthing	ld be earthed with 2Nos, of Copper plate	
	- Air intake system should	d have requisite air filters and complete	
	interconnecting piping	supports etc	
	- Single bearing alternato	r with insulation class H and IP22/IP23	
	(protection grade)		
	- Exhaust industrial silend	cer for open generator set.	
	- Direct coupled with synchronous alternator.		
	- Consumable Spare Parts for 3000 running hours.		
	Instruction manual and wiring diagrams.Surge Voltage Arrester for Engine control Panel		
	- Proper Grounding Syste		
	- Detail Specification for	Engine Control Panel & ATS Panel	
	- Installation Material (A	ir Duct, Bellow Flexible Pipe, Exhaust	
	Pipe ,Elbow)		
	- Installation Kits & Mair	ntenance Tools.	
	- Two Year Maintenance	Services.	

စဉ်	ပစ္စည်းအမျိုးအမည်	အရေအတွက်
	Engine Control Panel - Volt Meter, Ampere Meter, Frequency Meter, Hours Counter Meter, Fuel Indication level Meter, Emergency Stop Button, Auto Start & Stop Function, Stat Section Selector Switch with Key (OFF- ON) Auto Transfer Switch (380/400 Amp) - (ATS) IT series (Separate Panel) - Two 4 poles Mechanically & Electrically interlock Load Transfer Contact UP to (380/400 Amp) -Main Available, Main On load ,Generator Available, Generator On load.	